

# setup JDBC Drivers (Win2k, Tomcat3.2.3,...

---



This thread is archived [Yinhong Chen](#) 8 posts since

Aug 15, 2001

Sir,

I can not figure the MySQL section on the Jive Database Setup Doc.

It said, In the **Jive setup tool**, use the following values;

driver: org.gjt.mm.mysql.Driver

server:jdbc:mysql://[your\_host]/[databse\_name]

but, where can I find Jive setup tool???

also I can only pass the first 2 setup pages... 😞

Thanks for your help so much.



[thunderbolt](#) 33 posts since

Aug 14, 2001 1. Re: **setup JDBC Drivers (Win2k, Tomcat3.2.3, MySQL) in Jive 2.0.1** Aug 15, 2001 9:36 AM

go to

setup JDBC Drivers (Win2k, Tomcat3.2.3,...

admin/setup.jsp

follow the step by step instruction



Yinhong Chen 8 posts since

Aug 15, 2001 2. Re: setup JDBC Drivers (Win2k, Tomcat3.2.3, MySQL) in Jive 2.0.1 Aug 15, 2001 9:55 AM

Sir,

but I can't go to 3rd step Database.

it appears the following msg,

```
*org.apache.jasper.JasperException: Unable to compile class for JSPC:\tomcat\work
\localhost_8080%2Fjive
\_0002fadmin_0002fsetup_0002fsetup_00033_0002ejspsetup3_jsp_0.java:426: Ambiguous
class: java.beans.Statement and java.sql.Statement
```

```
Statement stmt = con.createStatement();
```

```
^
```

1 error

\*

I write a test program to test my JDBC and MySQL.

They were both working well.

can you tell me how to manually configure these 2 values?

(**driver** and **server** for the Jive setup tool)

Thanks very much! -

setup JDBC Drivers (Win2k, Tomcat3.2.3,...



**thunderbolt** 33 posts since

Aug 14, 2001 3. Re: **setup JDBC Drivers (Win2k, Tomcat3.2.3, MySQL) in Jive 2.0.1** Aug 15, 2001 10:17 AM

I think you can go to the directory 'WEB-INF\jiveHome'

open the configuratin file jive\_config.xml,

and add these lines. (put them after the locale).

Use your own username and password.

```
<database>
  <defaultProvider>
    <driver>org.gjt.mm.mysql.Driver</driver>
    <serverURL>jdbc:mysql://localhost/jive</serverURL>
    <username>your_username</username>
    <password>your_password</password>
    <minConnections>3</minConnections>
    <maxConnections>10</maxConnections>
    <connectionTimeout>0.5</connectionTimeout>
  </defaultProvider>
</database>
```

setup JDBC Drivers (Win2k, Tomcat3.2.3,...

<setup>true</setup>



[Matt Tucker](#) 3,658 posts since

Jun 28, 2001 4. Re: **setup JDBC Drivers (Win2k, Tomcat3.2.3, MySQL) in Jive 2.0.1** Aug 15, 2001 10:31 AM

```
*org.apache.jasper.JasperException: Unable to
compile class for
JSPC:\tomcat\work\localhost_8080%2Fjive\_0002fadmin_00
2fsetup_0002fsetup_00033_0002ejspsetup3_jsp_0.java:426
Ambiguous class: java.beans.Statement and
java.sql.Statement
Statement stmt =
Statement stmt = con.createStatement();
^
1 error
*
```

What appserver are you using? If you can't compile the JSP pages, you're going to have some more significant problems than trying to get the db settings correct.

-Matt

setup JDBC Drivers (Win2k, Tomcat3.2.3,...



[Yinhong Chen](#) 8 posts since

Aug 15, 2001 5. Re: **setup JDBC Drivers (Win2k, Tomcat3.2.3, MySQL) in Jive 2.0.1** Aug 16, 2001 6:07 PM

matt,

I've try different versions of tomcat(3.11, 3.2.3, 4.0..) but still can't get them work.

then sth ccme to my mind me is it **jdk**'s proplem?

so I switch jdk1.4beta1 to jdk1.3.1...

Now, it's working! I don't know why?

the error msg indicates the jspaser, ambiguous classes' problems. I don't know if anyone have this problem.. -;