

Group-based status level displaying "0..."



[enothnagle](#) 30 posts since

Sep 23, 2008

I want to use status levels by assigning users to groups (e.g. Community Leader). On their profile page, the text under their picture says "Community Leader (0 points)". Since I'm not using a point system at all, is it possible to remove the points tally? I just want it to say "Community Leader". Thanks, -Ed

Tags: status, level



[Matt Walker](#) 298 posts since

Jun 14, 2007 1. **Re: Group-based status level displaying "0 points"** Jun 22, 2009 4:39 PM

Sure, you can do this by theming **/template/global/view-profile-short.ftl**

Find the section that reads:

```
<#if (statusLevelEnabled)>
  <ul class="jive-profile-tt-icons">
    <li><@jive.userStatusLevel user=targetUser showPoints=true /></li>
  </ul>
</#if>
```

And change **showPoints=true** to **showPoints=false**

If you need some theming help, check out this video: [Introduction to Skinning Clearspace](#)

You'll need to do similar theming (replace **showPoints=true** with **showPoints=false**) in:

- /template/global/people.ftl
- /template/global/view-profile.ftl
- /template/video/view-video.ftl (if you use the video module)

Group-based status level displaying "0...



[enothnagle](#) 30 posts since

Sep 23, 2008 2. **Re: Group-based status level displaying "0 points"**; Jun 23, 2009 6:45 AM

Thanks, Matt. I will give this a try and let you know if I have any problems. -Ed



[enothnagle](#) 30 posts since

Sep 23, 2008 3. **Re: Group-based status level displaying "0 points"** Jun 23, 2009 1:08 PM

Matt,

I did this, and the points disappeared on the Profile page as expected, but so did the status level label (in this case "Community Leader"). So, now all that is displayed is the icon. Is this what's supposed to happen?

Thanks,

-Ed



[Matt Walker](#) 298 posts since

Jun 14, 2007 4. **Re: Group-based status level displaying "0 points"** Jun 23, 2009 3:08 PM

Ah, you're right! Apologies.

If you want to just remove the points, we'll have to do a slightly heavier modification. We'll have to replace the freemarker macro calls with the source in **jive-macros.ftl**

Would you like that explained at this time, or when you have proper post-sales support?



[enothnagle](#) 30 posts since

Group-based status level displaying "0...

Sep 23, 2008 5. Re: **Group-based status level displaying "0 points"** Jun 24, 2009 7:34 AM

If you can provide the instructions that would be great. If it's over my head we have an engineer working on our community site who should be able to handle it.

Thanks,

-Ed



[Matt Walker](#) 298 posts since

Jun 14, 2007 6. Re: **Group-based status level displaying "0 points"** Jun 24, 2009 4:36 PM

Ok, so you'll have to find this section:

```
<@jive.userStatusLevel user=targetUser showPoints=true />
```

In these two files:

- /template/global/view-profile-short.ftl
- /template/global/view-profile.ftl (two occurrences)

And replace it with this:

```
<#if (targetUser?has_content && !targetUser.anonymous)>
  <#if container?has_content>
    <#assign statusLevel = jiveContext.getStatusLevelManager().getStatusLevel(targetUser, container)!>
    <#if statusLevel?has_content>
      <span>
    <#else>
      <!-- these exist for formatting reasons -->
      <span> </span>
    </#if>
  </#if>
</#else>
```

Group-based status level displaying "0...

```
<#assign statusLevel = jiveContext.getStatusLevelManager().getStatusLevel(targetUser)!>
<#if statusLevel?has_content>
  <span>
<#else>
  <!-- these exist for formatting reasons -->
  <span> </span>
</#if>
</#if>
</#if>
```

Then find this section:

```
<@jive.userStatusLevel user=result showPoints=true />
```

In this file:

- /template/global/people.ftl

And replace it with this:

```
<#if (result?has_content && !result.anonymous)>
  <#if container?has_content>
    <#assign statusLevel = jiveContext.getStatusLevelManager().getStatusLevel(result, container)!>
    <#if statusLevel?has_content>
      <span>
    <#else>
      <!-- these exist for formatting reasons -->
      <span> </span>
    </#if>
  <#else>
    <#assign statusLevel = jiveContext.getStatusLevelManager().getStatusLevel(result)!>
    <#if statusLevel?has_content>
      <span>
    <#else>
      <!-- these exist for formatting reasons -->
      <span> </span>
    </#if>
  </#if>
```

Group-based status level displaying "0...

```
</#if>  
</#if>
```